

ABOUT COMPANY

Dali Ceramico is the leading and largest suppliers of floor tiles, wall tiles, slab tiles, and Glazed Porcelain Tiles. Dali Ceramico's is a rich provide line in over major countries and serves hundreds of outstanding clients worldwide. our mission is to supply and provide our esteemed clients with unmatchable quality wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles and excellent service locally and globally. To be the pioneer in India's ceramic meticulousness and internationally, we must maintain our products' quality and innovation and succour our customers' requisites.

Dali Ceramico's mission is to serve our customers and clients by providing high quality and elegant tiling solutions for their residential and commercial spaces and high-end customer service in a very approachable and customer-friendly environment. To align our mission with our work, we keep our team modern with the topmost delicacy and thoroughness We foreknow to be the topnotch tile supplier company providing the latest foreign surfaced and fashioned tiles to the customers. The prime ideology is to expand ouvision by integrating his principles, values, and work ethics with modern-day trade procedures.

OUR **PRODUCT**



Every digitally vitrified tile ranging from wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles meet the international authorised quality and mark the foremost and leading ISO and CE certifications. The shipping and logistics stages are teamed up with the selected and reputed logistic partners and companies locally and globally to assure high-quality shipping or logistic standards. Each ordered wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles are appropriately documented and strictly follows the shipped country's standard shipment quidelines.



At Dali Ceramico's, our vision is to become a high-end provider and supplier of wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles with distinctive & astonishing textures, colours, features, & sizes. Dali Ceramico team of quality inspectors and suppliers look forward to creatively suggesting the best tiling product per the customer's pre-requisite and budget. We foreknow to be the top-notch tile supplier company providing the latest foreign surfaced and fashioned tiles to the customers. The prime ideology is to expand our vision by integrating his principles, values, & work ethics with modern-day trade procedures.

At Dali Ceramico's, our mission is to supply and provide our esteemed clients with unmatchable quality wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles and excellent service locally and globally. To be the pioneer in India's ceramic meticulousness and internationally, we must maintain our products' quality and innovation and succour our customers' requisites. Dali Ceramico's mission is to serve our customers and clients by providing high quality & elegant tiling solutions for their residential and commercial spaces and high-end customer service in a very approachable and customer-friendly environment. To align our mission with our work, we keep our team modern with the topmost delicacy and thoroughness.





QUALITY **ASSURANCE**

Dali Ceramico vitrified tiles are highly requested and praised in the domestic and global wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles market. Our provided tiles' quality augmented to spread out our business to deliver top-notch tiling solution products and unbeatable customer service experience in local and international tile markets. Dali Ceramico's tiles have its in-house quality and inspection team with eyes for detailed quality inspectors, and experienced professionals ensure that the tiling solution is of the best quality.

FEATURES



Frost resistant



Colors do not fade over time



Resistant to sudden temperature changes



Resistant to acid, chemicals, salt, etc



Special matching pieces



mpervious




Hntislip



Quick and ec to install















09 mm *

Features



















ANTRESIT BIANCO







09 mm *

Features



HP.











AQUARIS ONYX GREY





ARISTONE **CEROBE**





09 mm *

Features



Stain Resistan











ARMANI **Beige**





ARMANI ORIENT





09 mm *

Features



















BEETEL BEIGE





1200x **1200**mm

09 mm *

Features



Easy Installation

















BIANCO CARRARA



1200x **1200**mm

09 mm *

Features



пП

Easy Installation



Ourability Durability







BIANCO ONICO





BOSTAN BEIGE







09 mm *

Features



Stain Resistan

Easy Installation















BOTTICINO **CLASSIC**





09 mm *

Features





















BOVESPA BROWN







09 mm *

Features



Easy Installation

















BRECCIA ONICIATA







09 mm *

Features



Stain Resistan

Easy Installation















BRECCIA SMOOTH





09 mm *

Features



Stairi Resistari











BULLBERRY **BEIGE**





BULLBERRY **GREY**



1200x **1200**mm

09 mm *

Features







Ourability Durability







CALACATTA CLASSICO





CALACATTA LUX







09 mm *

Features



88





Ourability Durability







CASTANO CREMA





CASTANO WHITE





09 mm *

Features



Stain Resistan



















DELICATO BEIGE





1200x **1200**mm

09 mm *

Features



H

















DOMINO **NATURAL**







09 mm *

Features



Easy Installation

















EMPRO BIANCO





09 mm *

Features



Easy Installation











EMSTONE **GREY**





EMSTONE IVORY





09 mm *

Features



===

















FRENCH SILVER







09 mm *

Features



















FURRY **DARK ICE**





09 mm *

Features



Easy Installation



Protection
















GRISIAL CRYSTAL







09 mm *

Features





















HEXA IVORY



1200x **1200**mm

09 mm *

Features



88

















MARBITA **WHITE**





1200x **1200**mm

09 mm *

Features



Easy Installation



101001101



_





















09 mm *

Features



















MARBO **TUSK**



1200x **1200**mm

09 mm *

Features



Stain Resistant

















MARK
MARFIL GREY



1200x **1200**mm

09 mm *

Features



















MARMO BEIGE







09 mm *

Features



Easy Installation



 \Leftrightarrow













ONYX CLASSIC





09 mm *

Features



Easy Installation




rotoction















ONYX **DOVE**







09 mm *

Features



















ONYX **SKY**



1200x **1200**mm

09 mm *

Features



H-P

















ORO **GREY**





1200x **1200**mm

09 mm *

Features



Easy Installation

















PASSION PULPIS BIANCO





09 mm *

Features





















RIGATO BROWN





1200x **1200**mm

09 mm *

Features



Easy Installation



.....













ROYAL **ARMANI GREY**





09 mm *

Features













ROYAL ARMANI GRIS





ROYAL ARMANI IVORY







09 mm *

Features



















SEGESTA WHITE





1200x **1200**mm

09 mm *

Features



Stain Resistance







High Definition Printed Tiles











SMOKY **GREY**



1200x **1200**mm

09 mm *

Features



Easy Installation



OLOGIA







SMOOTH ONYX BEIGE





SMOOTH ONYX





1200x **1200**mm

09 mm *

Features



Stain Resistance





 \Leftrightarrow













SONATA WHITE





09 mm *

Features



















STARK CREMA



1200x **1200**mm

09 mm *

Features



Easy Installation





High Definition Printed Tiles











STATUARIO **ELEGANT**





1200x **1200**mm

09 mm *

Features







Ourability Durability







STATUARIO GALAXY





STATUARIO ORANGE





1200x **1200**mm

09 mm *

Features



Easy Installation





Ourability Durability







STATUARIO RAINBOW





STATUARIO SMOKE



1200x **1200**mm



Features



品

















TERRAZZO **BLANCO**





1200x **1200**mm

09 mm *

Features



otali i (osistari

Easy Installation
















TERRAZZO **HUMO**



1200x **1200**mm

09 mm *

Features



Stain Resistance






_













TERRAZZO ICE



1200x 1200mm

09 mm *

Features



Easy Installation


















TERRAZZO **PEARD**





1200x **1200**mm

09 mm *

Features



Easy Installation


















TOPAZ ONYX GOLD





09 mm *

Features



Easy Installation



270000,000000000000000







TOPAZ ONYX SMOKE





TRIXXON **BEIGE**





1200x **1200**mm

09 mm *

Features



Easy Installation











TRIXXON BIANCO



HIGH GLOSS

Bring out the natural elegance of your space with the exquisite designs of the surfaces with an Evoke the grandness of your surface with tiles that express grace in a magnificent style.



daliceramico.com

HIGH GLOSS daliceramico.com

1200x **1200**mm

09 mm *

Features



Easy Installation



No.













BEATRIX GOLD





1200x **1200**mm

09 mm *

Features



Stain Resistance





Protection








IMPACT STATUARIO





MONT **GOLD**





HIGH GLOSS daliceramico.com

1200x **1200**mm

09 mm *

Features



Easy Installation




Durability







OSIRIS GREY





1200X1200MM

Designs that inspired by the beauty of nature, notable for its premium and natural aesthetics and belong with compelling craftmanship which Turn decors into a serene masterpiece



09 mm *

Features



===

















ALEXA BROWN







09 mm *

Features







 \Leftrightarrow













ALEXA **GREY**





09 mm *

Features



Easy Installation

















ALEXA **WHITE**





09 mm *

Features



Easy Installation



 \Leftrightarrow

Ourability Durability













BERKANE BROWN





1200x **1200**mm

09 mm *

Features



Easy Installation





High Definition Printed Tiles





BERKANE **GREY**





09 mm *

Features



Easy Installation


















DOLCEDORME WHITE







09 mm *

Features




===

















ELISTA Black





09 mm *

Features






















ELISTA **VERDE**





1200x **1200**mm

09 mm *

Features



Easy Installation





Durability







METZ **MARFIL**



1200x **1200**mm

09 mm *

Features



Easy Installation















TERRAZZO CARMEL





09 mm *

Features



Easy Installation



Protection













TERRAZZO **HUMO**







09 mm *

Features



Easy Installation



Protection




High Definition Printed Tiles











TERRAZZO IVORY





1200x 1200mm

09 mm *

Features



Easy Installation



Protection
















TERRAZZO **PEARD**





09 mm *

Features



Easy Installation



OLOGUIOI














TERRAZZO **VENILLA**





1200x **1200**mm

09 mm *

Features



Easy Installation



rotection

Durability







TERRAZZO **VERDE**





09 mm *

Features



Easy Installation


















TROYAL BIANCO







09 mm *

Features



Easy Installation





Durability







TROYAL **GRIS**



TECHNICAL SPECIFICATION:

CHARACTERISTIC	STANDARD AS PER ISO- 13006/EN14411 Group Bla	Our Value for 600x1200mm	Our Value for 800x1600mm	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Deviation in thickness	± 0.5%	± 4.0%	± 4.0%	ISO-10545-2
Straightness in side	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Rectangularity	± 0.6%	± 0.1%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	± 0.2%	ISO-10545-2
Color difference	Uniterned	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90%	Min 10%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50%	< 0.5%	< 0.5%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.28 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of repture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 35 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	>2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMRTRIC PROPERTIES				
Front resistance	No Damage	No Damage	No Damage	ISO - 10545 - 12
Thermal shock resistance	No Damage	No damage	No Damage	ISO - 10545 - 9
Moisture expansion	Nill	Nill	Nill	ISO - 10545 - 10
Thermal expansion(COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 9.0 x 10 ⁻⁶	ISO - 10545 - 8
Crazing resistance	As per mfg.	Min 10 cycle	Min 10 cycle	ISO - 10545 - 11
CHEMICAL PROPERTIES				
Chemical resistance	No Damage	No Damage	No Damage	ISO - 10545 - 13
Stain resistance	Resistance	Resistance	Resistance	ISO - 10545 - 14
SEFETY PROPERTIES				
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO - 10545 - 17
Fire resistance	As per mfg.	Fireproof	Fireproof	N.A.
Lead & cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO - 10545 - 15

Packing Details

Dimension	600x 1200mm	800x 1600mm	1200x 1200mm
Thickness (mm)	8.8	9	9
Pcs. / Box	2	2	2
Sq.Mtr. / Box	1.44	2.56	2.88
Weight / Box (Kgs)	28.5	51	61.3

DISCLAIMER:

Dali Ceramico reserves the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specification contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colours, references should be verified for typographical errors.

DALI CERAMICO LLP.

Eden ceramic city, 8-A national highway, Morbi-2 (363 642).

Call:

Export : +91 97097 61561 Domestic : +91 90998 16263 E-mail : info@daliceramico.com

www.daliceramico.com

