

GLAZED PORCELAIN TILES


Premium Collection

Premium collection

Explore the state-of-the-art, exquisite master catalogue that reveals all the necessary information about the products. This catalogue will help you choose the best and tight product for your décor, making it look flawless and attractive. All the products are explained with details to better understand the overall information about the products.

VOGUE

ABOUT **COMPANY**



Dali Ceramico is the leading and largest suppliers of floor tiles, wall tiles, slab tiles, and Glazed Porcelain Tiles. Dali Ceramico's is a rich provide line in over major countries and serves hundreds of outstanding clients worldwide. our mission is to supply and provide our esteemed clients with unmatchable quality wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles and excellent service locally and globally. To be the pioneer in India's ceramic meticulousness and internationally, we must maintain our products' quality and innovation and succour our customers' requisites.

Dali Ceramico's mission is to serve our customers and clients by providing high quality and elegant tiling solutions for their residential and commercial spaces and high-end customer service in a very approachable and customer-friendly environment. To align our mission with our work, we keep our team modern with the topmost delicacy and thoroughness We foreknow to be the topnotch tile supplier company providing the latest foreign surfaced and fashioned tiles to the customers. The prime ideology is to expand ouvision by integrating his principles, values, and work ethics with modern-day trade procedures.



Every digitally vitrified tile ranging from wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles meet the international authorised quality and mark the foremost and leading ISO and CE certifications. The shipping and logistics stages are teamed up with the selected and reputed logistic partners and companies locally and globally to assure high-quality shipping or logistic standards. Each ordered wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles are appropriately documented and strictly follows the shipped country's standard shipment guidelines.

VISION

At Dali Ceramico's, our vision is to become a high-end provider and supplier of wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles with distinctive & astonishing textures, colours, features, & sizes. Dali Ceramico team of quality inspectors and suppliers look forward to creatively suggesting the best tiling product per the customer's pre-requisite and budget. We foreknow to be the top-notch tile supplier company providing the latest foreign surfaced and fashioned tiles to the customers. The prime ideology is to expand our vision by integrating his principles, values, & work ethics with modern-day \trade procedures.

MISSION

At Dali Ceramico's, our mission is to supply and provide our esteemed clients with unmatchable quality wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles and excellent service locally and globally. To be the pioneer in India's ceramic meticulousness and internationally, we must maintain our products' quality and innovation and succour our customers' requisites. Dali Ceramico's mission is to serve our customers and clients by providing high quality & elegant tiling solutions for their residential and commercial spaces and high-end customer service in a very approachable and customer-friendly environment. To align our mission with our work, we keep our team modern with the topmost delicacy and thoroughness.



QUALITY **ASSURANCE**

Dali Ceramico vitrified tiles are highly requested and praised in the domestic and global wall tiles, floor tiles, Glazed Porcelain Tiles, and slab tiles market. Our provided tiles' quality augmented to spread out our business to deliver top-notch tiling solution products and unbeatable customer service experience in local and international tile markets. Dali Ceramico's tiles have its in-house quality and inspection team with eyes for detailed quality inspectors, and experienced professionals ensure that the tiling solution is of the best quality.

FEATURES



ract recictant



Colors do not fade



Resistant to sudden temperature changes



Resistant to acid



Special matchi



Impervious



Antislip Rutschfes



Quick and ed to install









800x1600mm









1200x1200mm



800x800mm













Durability





800x1600mm

ALASKA GOLD







1200x1200mm



800x800mm





Durability

Features

High Definition Printed Tiles

600x600mm www.daliceramico.com





800x1600mm

ALASKA NATURAL







1000x1000mm

1200x1200mm



800x800mm



Features











Durability

600x600mm www.daliceramico.com















1200x1200mm



800x800mm



Features











www.daliceramico.com











Polished — series

BRAZILIAN RIVER STONE

800x1600mm







800x800mm

1200x1200mm



600x600mm







04 Random 9 mm







Durability

www.daliceramico.com








Polished — series

CARRARA BIANCO

800x1600mm

















800x800mm

1200x1200mm



600x600mm





800x1600mm









1200x1200mm



800x800mm





Protection


Durability

High Definition Printed Tiles

Features

www.daliceramico.com







FLORAL NATURAL

Polished — series

800x1600mm









1200x1200mm



800x800mm






Durability

Features

High Definition Printed Tiles

600x600mm www.daliceramico.com















1000x1000mm

300x 600mm

1200x1200mm



800x800mm



600x600mm

Features












Durability

www.daliceramico.com








ICEBERG WHITE

800x1600mm





1200x1200mm


















800x800mm



600x600mm






800x1600mm









1000x1000mm

1200x1200mm



800x800mm



600x600mm





Durability

High Definition Printed Tiles

Features

www.daliceramico.com





MAJESTIC BIANCO

Polished — series

800x1600mm





















Durability

800x800mm

1200x1200mm



600x600mm
















1200x1200mm



800x800mm



Features







stallation Pi







otection

Durability

600x600mm







Polished — series

MONT BROWN

800x1600mm





1000x1000mm

1200x1200mm







Features










Durability

600x600mm www.daliceramico.com






800x1600mm

OCEAN BLUE







1200x1200mm



800x800mm



600x600mm

Features











Durability

www.daliceramico.com



























Durability

800x800mm

1200x1200mm

600x600mm





800x1600mm

Polished — series









1000x1000mm

1200x1200mm



800x800mm



600x600mm

Features









Protection

www.daliceramico.com





800x1600mm





Polished — series

PICASSO CREMA







1200x1200mm





















Durability

600x600mm www.daliceramico.com









PICASSO NATURAL

800x1600mm







1000x1000mm

1200x1200mm



800x800mm



Features











Durability

600x600mm www.daliceramico.com









PICASSO SKY

600x1200mm

800x1600mm









1200x1200mm













Protection

Durability

600x600mm










PICASSO WHITE

800x1600mm









1000x1000mm

1200x1200mm



800x800mm



600x600mm

Features


















VIENNA BROWN







1200x1200mm



800x800mm



600x600mm













Durability

www.daliceramico.com









Polished — series

06 Random

VOLCANO ASH

800x1600mm





1000x1000mm

1200x1200mm



800x800mm









Features





600x600mm www.daliceramico.com









Polished — series

VOLCANO LIGHT GREY

800x1600mm





1000x1000mm

1200x1200mm







Features











Durability

600x600mm








Polished — series

VOLCANO SMOKE

800x1600mm





1200x1200mm



800x800mm



Features

06 Random









Durability

600x600mm www.daliceramico.com





Polished — series

VOLCANO WHITE

800x1600mm



▼ 09 ▲ mm



1200x1200mm



Features









Durability


800x800mm



600x600mm www.daliceramico.com







800x1600mm

Crystal Polished Series

CHARCOAL BLACK



1000x1000mm









800x800mm



600x600mm

Features












Durability

www.daliceramico.com







600x1200mm


CORALITO ONYX

Crystal Polished Series

800x1600mm







1200x1200mm



800x800mm









Features






Durability

600x600mm www.daliceramico.com






800x1600mm

Crystal Polished Series

MATRIX BROWN







1200x1200mm



800x800mm



600x600mm














Durability

www.daliceramico.com










EARTHEN BEIGE

800x1600mm



06 Random | $\frac{\checkmark}{4}$ 09

.

1200x1200mm


















800x800mm



600x600mm






matt — series

EARTHEN BIANCO

800x1600mm



1200x1200mm



800x800mm



Features

06 Random











Protection

Durability

600x600mm









EARTHEN BROWN







1200x1200mm



800x800mm



600x600mm

Features
















matt — series

EARTHEN GREY

800x1600mm







800x800mm



600x600mm

Randon















otection

www.daliceramico.com








matt --- series

EARTHEN NATURAL







1200x1200mm



800x800mm



Features











Durability

600x600mm www.daliceramico.com







matt — series

600x1200mm

GEOMATRIC BLUE

800x1600mm

1200x1200mm





04 Random







Durability

Features






600x600mm

800x800mm








GYPSUM BEIGE

800x1600mm





1200x1200mm



Features












800x800mm



600x600mm







GYPSUM BIANCO



800x1600mm



1200x1200mm



800x800mm



Features












 \Diamond Durability

600x600mm









matt --- series

GYPSUM GREY

800x1600mm





1000x1000mm

1200x1200mm







Features

06 Random












Durability

600x600mm www.daliceramico.com






800x1600mm



GYPSUM NERO







1200x1200mm





800x800mm












Protection

Durability

600x600mm www.daliceramico.com


















1200x1200mm



800x800mm



600x600mm

Features











Durability










KRIO GOLD

800x1600mm







800x800mm



600x600mm



Features



















800x1600mm



04 Random

matt --- series





1200x1200mm







Features








Durability





600x600mm







matt — series

RIVER SAND







1200x1200mm



800x800mm

600x600mm



Features











Durability

www.daliceramico.com








matt — series

SISILIA SAND







1200x1200mm



800x800mm





Features












Durability

600x600mm







STONIS LIGHT GREY





1000x1000mm

1200x1200mm

800x1600mm























600x600mm








matt — series

STUCCO BEIGE







1200x1200mm



800x800mm



600x600mm

Features














Protection

www.daliceramico.com







VEGA BIANCO

800x1600mm





1200x1200mm



Features












800x800mm



600x600mm









VEGA GOLD







1200x1200mm





800x800mm









Features






Durability

600x600mm www.daliceramico.com










VEGA GREY

800x1600mm

















Features





800x800mm



600x600mm







800x1600mm



WAVE BEIGE







1200x1200mm



800x800mm



Features











Durability

600x600mm







WAVE BIANCO

800x1600mm





1200x1200mm









Features







Durability

800x800mm



600x600mm





matt — series

WAVE GREY





1200x1200mm







800x1600mm



Features











Durability

600x600mm www.daliceramico.com

TECHNICAL SPECIFICATION:

CHARACTERISTIC	STANDARD AS PER ISO- 13006/EN14411 Group Bla	Dali Ceramico Value for Dali Ceramico Value for 800x1600mm		TEST METHOD					
REGULATORY PROPERTIES									
Deviation in length & width	± 0.5%	± 0.3%	± 0.1%	ISO-10545-2					
Deviation in thickness	± 5.0%	± 4.0%		ISO-10545-2					
Straightness in side	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2					
Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2					
Surface flatness	± 0.5%	± 0.2%	± 0.2%	ISO-10545-2					
Color difference	Uniterned	No change	No change	ISO-10545-16					
Glossiness	As per mfg.	Min 90%	Min 90%	GLOSSOMETER					
STRUCTURAL PROPERTIES									
Water absorption	< 0.50%	< 0.5%	< 0.5%	ISO-10545-3					
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.28 g/cc	DIN 51082					
MASSIVE MECHANICAL PROPERTIES									
Modulus of repture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 35 N/mm²	ISO-10545-4					
Breaking strength	Min. 1300 N	Min. 1300 N	>1300 N	ISO-10545-4					
Impact resistance	As per mfg.	Min. 0.55	0.75 - 0.90	ISO-10545-5					
SURFACE MECHANICAL PROPERTIES									
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-3	ISO-10545-7					
MOH's hardness	As per mfg.	Min. 4	Min. 7	EN 101					
THERMO HYGROMRTRIC PROPERTIES									
Thermal shock resistance	No damage	No damage	No Damage (10 cycle)	ISO-10545-9					
Moisture expansion	Nill	Nill	Nill	ISO-10545-10					
Thermal expansion(COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 9.0 x 10 ⁻⁶	ISO-10545-8					
Crazing resistance	As per mfg.	Min. 4 Cycle	Min 4 Cycle	ISO-10545-11					
CHEMICAL PROPERTIES									
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14					
SEFETY PROPERTIES									
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17					
Fire resistance	As per mfg.	Fireproof	Fireproof	N.A.					

Packing Details

Dimension	300x 600mm	600x 600mm	800x 800mm	1000x 1000mm	600x 1200mm	800x 1600mm	1200x 1200mm
Thickness (mm)	8.8	8.8	9	9	8.8	9	9
Pcs. / Box	5	4	3	2	2	2	2
Sq.Mtr. / Box	0.9	1.44	1.92	2	1.44	2.56	2.88
Weight / Box (Kgs)	17.3	28	37.5	43	28.5	51	61.3

DISCLAIMER:

Dali Ceramico reserves the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specification contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colours, references should be verified for typographical errors.

NOTE:

Actual Colours May Vary. This is due to Colours you are seeing on Screen/Catalog are different than actual Tiles colour. We are extremely hard to ensure our photos are life-like possible, we can not guarantee that colours you accurately portrays the true colour of the product.

DALI CERAMICO LLP.

Eden ceramic city, 8-A national highway, Morbi-2 (363 642).

Call:

Export: +91 97097 61561 Domestic: +91 90998 16263

E-mail: info@daliceramico.com

www.daliceramico.com